



**NEUROLOGICAL
CLINICAL
RESEARCH
INSTITUTE**

MarkVCID Brady i5100 Printer Installation Guide

Version 1.0, September 2018
MarkVCID Consortium

By the MGH Neurological Clinical Research Institute and MarkVCID Coordinating Center.

The MarkVCID Consortium is funded by the National Institutes of Health through the National Institute of Neurological Disorders and Stroke and National Institute on Aging (Cooperative Agreement U24NS100591).

BRADY i5100 Printer Driver Installation Guide

Printing labels for MarkVCID biosamples is done through the MarkVCID Clinical Data Entry system using special printers such as the BRADY i5100. To print, you must first install the appropriate printer driver.

The Printer Driver for Brady i5100 can be found at the following link: [Brady I5100 Printer Driver](#)


Installing the Brady i5100 Printer Driver

Steps:


Note: Please do not connect the printer to the computer before performing the following steps. If the printer driver for i5100 gets installed automatically before you follow the steps below, please remove the existing driver. (Please see [Removing the Printer Driver](#) for instructions on how to do this.)

1. Download the Printer Driver for BRADY i5100 (using the link above).
2. Extract the Compressed folder.
3. Click .exe file inside the folder

It may look as follows:



4. Select English (EN) on the “Language Selection” dialog box and click “OK.”



5. Select the appropriate printer model to install the driver (please choose 300dpi for Brady i5100) and click “Next”.

6. If the system prompts you to power down the printer click “OK,” as the printer is already disconnected.
7. Once the installation is complete, an alert window will be displayed to connect the printer cable to your computer and power up the printer. (It may take a while to prompt the alert window, please wait until the alert window is prompted).
8. Connect and power up the printer and then click “OK” on the window.
9. Wait for the “Installation process is complete” message window and then click “OK.” (Again, it may take a while to prompt the alert window, please wait until the alert window is prompted).

Note: Installed printer can be found under:


- Windows XP: Start -> Printers and Faxes
- Windows 7: Start -> Devices and Printers
- Windows 10: Control Panel > Devices and Printers
- Mac OS: Apple menu -> System Preferences -> Print & Fax

Removing the Printer Driver (only if necessary)

You may need to re-install the i5100 printer driver if you encounter a printer driver problem due to incorrect configuration/incompatibility. Please use the following steps to remove the existing installation before re-installing the driver.

Steps:

1. Remove the already installed device driver for i5100 printer (Devices and Printers > right click on the device > Remove device).



2. Click the Start menu and in the search field type “**printui /s /t2**” (without the quotes), and then press Enter or select the device in the search list.
3. Select the printer driver to uninstall.
4. Click the *Remove* button.

5. Select "Remove driver and driver package" and click OK.
Note: Removing the driver package will clear all driver installation files for i5100 printer, leaving no reference to the printer that Windows could use to auto-reinstall again.
6. Restart the computer.

If you have any questions or need help installing the Brady printer driver, please contact:

NCRI Helpdesk
1-855-ASK-NEURO
ncrisupport@partners.org

Prasha Vigneswaran
Systems Administrator
617-724-9520
pigneswaran@mgh.harvard.edu